



MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT & COMPANY IDENTIFICATION

| | |
|-------------------------------------|--|
| Product name | CC-300 Product Series |
| Product name(s) covered | See Section 16 for Product Names Covered. |
| MSDS name | CC-300 Series - Various Colors |
| CAS number | Mixture |
| Generic description | Sealant |
| Manufacturer | Bostik, Inc. 211 Boston Street Middleton, MA 01949 USA |
| 24 hour emergency assistance | Telephone: 1-800-227-0332 |
| General assistance | Telephone: 1-978-777-0100 |
| MSDS assistance | Telephone: 1-414-607-1347 |

2. COMPOSITION / INFORMATION ON INGREDIENTS

| Component(s) | CAS # | Percent |
|---------------------|--------------|----------------|
| Stoddard solvent | 8052-41-3 | 10 - 30 |

3. HAZARDS IDENTIFICATION

| | |
|---------------------------------|--|
| Emergency overview | Primary Routes of Exposure: eyes, skin, and inhalation. This product is irritating to the eyes, respiratory system and skin. |
| Potential health effects | |
| Skin | Skin contact may cause irritation. |
| Eyes | This product may cause irritation to the eyes. |
| Inhalation | This product may cause irritation to the respiratory system. |
| Ingestion | This product can cause gastrointestinal irritation, nausea, vomiting, and diarrhea. |

4. FIRST AID MEASURES

| | |
|---------------------------|--|
| First aid | |
| Skin | Remove contaminated clothing to prevent further skin exposure and dispose of properly. In situations involving considerable skin contact, place the contaminated person in a deluge shower for at least 15 minutes. For minor exposures, wash thoroughly with soap and clean water. Get medical attention if irritation persists. |
| Eye | Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention or advice. |
| Inhalation | Remove to fresh air. Get medical attention immediately for a large dose exposure or if cough or other symptoms develop. |
| Ingestion | If ingested, get immediate medical attention. Do not induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to a victim who is unconscious or is having convulsions. |
| Notes to physician | Treat symptomatically and supportively. Contact Bostik to determine whether any additional information is available. If overexposure to the solvents in this product is suspected, testing should include nervous system and brain effects including recent memory, mood, concentration, headaches and altered sleep patterns. Liver and kidney function should be evaluated. This material, if aspirated into the lungs, may cause chemical pneumonitis; treat the affected person appropriately. |

5. FIRE FIGHTING MEASURES

| | |
|---|---|
| Extinguishing media | Use dry chemical, carbon dioxide, or foam. Water spray (fog). |
| Dust explosion hazard | None Known |
| Sensitivity to mechanical impact | None Known |

| | |
|---|---|
| Sensitivity to static discharge | None Known |
| Fire fighting equipment/instructions | Firefighters should wear full protective clothing including self contained breathing apparatus. |
| Flash point | 110 °F (43.3 °C) |

6. ACCIDENTAL RELEASE MEASURES

| | |
|--------------------------------|--|
| Emergency action | Appropriate safety measures and protective equipment should be used. See Section 8. Do not discharge to lakes, streams, ponds, or sewers. Dispose of in compliance with local, state, and federal regulations. |
| Spill or leak procedure | Scrape up paste and place in steel drums that are in good condition. Thoroughly clean area where spill occurred. |
| Containment | Isolate spill area. Stop discharge if safe to do so. Stop material from contaminating soil or from entering sewers or water streams. |
| Reporting | See Federal reporting requirements listed in Section 15. We recommend you contact local authorities to determine if there may be other local reporting requirements. |

7. HANDLING & STORAGE

| | |
|-----------------------------------|---|
| Handling | Wash hands thoroughly after handling, especially before eating, drinking, smoking, and using restroom facilities. Wash contaminated goggles, face shields, and gloves. Professionally launder contaminated clothing before re-use. |
| Storage | Store in a cool, dry, well-ventilated area away from heat, ignition sources and direct sunlight. Water contamination should be avoided. Cool location should be 60-80 degrees F or 15-30 degrees C. |
| Empty container precaution | Attention! Follow label warnings even after container is emptied since empty containers may retain product residues. Do not reuse empty container without professional cleaning for food, clothing, or products for human or animal consumption, or where skin contact can occur. |

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

| | |
|---------------------------------|---|
| Engineering controls | Use local exhaust or general ventilation where the potential exists to exceed the PEL or TLV exposure limits. |
| Eye protection | Wear goggles or safety glasses with side shields. |
| Skin and body protection | Wear appropriate clothing to minimize skin contact with this product. |
| Respiratory protection | If ventilation is not sufficient to effectively prevent buildup of vapors, appropriate NIOSH/MSHA respiratory protection must be provided |
| General | Eyewash fountains and emergency showers should be readily available. |

Exposure limits

ACGIH - Threshold Limits Values - Time Weighted Averages (TLV-TWA)

Stoddard solvent 8052-41-3 100 ppm TWA

NIOSH - Pocket Guide - TWAs

Stoddard solvent 8052-41-3 350 mg/m3 TWA

OSHA - Final PELs - Time Weighted Averages (TWAs)

Stoddard solvent 8052-41-3 500 ppm TWA; 2900 mg/m3 TWA

OSHA - Vacated PELs - TWAs

Stoddard solvent 8052-41-3 100 ppm TWA; 525 mg/m3 TWA

9. PHYSICAL & CHEMICAL PROPERTIES

| | |
|---|-----------|
| Target solids | 83 % |
| Density | 1.42 g/cc |
| Odor | Solvent |
| Color | Various |
| Physical state | Paste |
| Freeze protect | No |
| VOC (Volatile Organic Compounds) | 240 g/l |

10. STABILITY & REACTIVITY

| | |
|---|---|
| Hazardous reactions/decomposition products | Unknown due to the complex nature of this material. Fumes from complete or incomplete combustion may include carbon dioxide, carbon monoxide, water vapor, oxides of nitrogen and a wide variety of innocuous or toxic fumes. |
| Hazardous polymerization | Will not occur. |
| Conditions to avoid | Avoid Strong Acids. |
| Stability | This is a stable material. |

11. TOXICOLOGICAL INFORMATION

| | |
|---------------------------|---|
| Toxicological data | If any toxicological data is available, it will be listed below: |
| Carcinogenicity | If this product contains any carcinogens, they will be noted below: |

12. ECOLOGICAL INFORMATION

| | |
|-------------------------------------|---|
| Ecotoxicological information | Organic solvents produce slight to moderate toxicity to aquatic life. |
|-------------------------------------|---|

13. DISPOSAL CONSIDERATIONS

It is the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable local, state and federal regulations.

| | |
|-----------------------|---|
| Waste disposal | Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. |
|-----------------------|---|

14. TRANSPORT INFORMATION

Department of Transportation (DOT) Requirements

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

This MSDS is prepared and distributed pursuant to the Federal Hazard Communication Standard, 29 CFR 1910.1200.

| | |
|---------------------------------------|--|
| Federal regulations | All components are on the U.S. EPA TSCA Inventory List. |
| State regulations | If this product contains any ingredients listed under California Proposition 65, they will be noted below: |
| International regulations | This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and contains all the information required by the Controlled Products Regulations. |
| HMIS Ratings | Health: 2 Flammability: 2 Physical hazard: 0 Personal protection: X |
| SARA 311/312 HAZARD CATEGORIES | Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No |
| WHMIS status | Controlled |
| WHMIS labeling | |



| | |
|-----------------------------|---------------------------------|
| WHMIS classification | D2B - Other Toxic Effects-TOXIC |
|-----------------------------|---------------------------------|

16. OTHER INFORMATION

Product name(s) covered A15110 - CC-300 GRAY 24/10.1
A15211 - CC-300 WHITE 24/10.1
A18510 - CC-300 BRONZE 24/10.1
A67210 - CC-300 BLACK 24/10.1

Disclaimer The data in this MSDS has been compiled from publicly available sources. This data relates only to the designated product and not to the use of said product in combination with other materials. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Responsibility for proper precautions and safe use of the product lies with the user. All data in this MSDS is typical of the product as a whole, and does not represent any individual lot or batch, therefore, Bostik, Inc. makes no warranty about the accuracy of the data herein and assumes no liability for the use of such data. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.

Issue date 24-MAY-07

Prepared by Pam Larsen

Supercedes 20-DEC-06

MSDS sections updated Hazards Identification: Emergency Overview
First Aid Measures: Skin
First Aid Measures: Inhalation
Disposal Considerations: Waste Disposal